

**ANALYTICAL REPORT**

Lab Number:	L1910848
Client:	Environmental Laboratories Services, LLC PO Box 472 Hewitt, NJ 07421
ATTN:	Joanne Cortese
Phone:	(973) 728-8044
Project Name:	<b>COMMUNITY CHARTER SCHOOL</b>
Project Number:	COMM CHARTER SCHOOL
Report Date:	03/26/19

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** COMMUNITY CHARTER SCHOOL  
**Project Number:** COMM CHARTER SCHOOL

**Lab Number:** L1910848  
**Report Date:** 03/26/19

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L1910848-01	FIELD BLANK-DI WATER	DW	137 ELLISON ST., PATERSON	03/19/19 06:03	03/19/19
L1910848-02	4TH FLOOR COMMON AREA FILTER	DW	137 ELLISON ST., PATERSON	03/19/19 07:25	03/19/19
L1910848-03	3RD FLOOR COMMON AREA FILTER	DW	137 ELLISON ST., PATERSON	03/19/19 07:26	03/19/19
L1910848-04	2ND FLOOR COMMON AREA FILTER	DW	137 ELLISON ST., PATERSON	03/19/19 07:27	03/19/19

**Project Name:** COMMUNITY CHARTER SCHOOL  
**Project Number:** COMM CHARTER SCHOOL

**Lab Number:** L1910848  
**Report Date:** 03/26/19

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

**HOLD POLICY** - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

---

**Project Name:** COMMUNITY CHARTER SCHOOL  
**Project Number:** COMM CHARTER SCHOOL

**Lab Number:** L1910848  
**Report Date:** 03/26/19

**Case Narrative (continued)**

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Melissa Cripps

Title: Technical Director/Representative

Date: 03/26/19

## **METALS**

**Project Name:** COMMUNITY CHARTER SCHOOL

**Lab Number:** L1910848

**Project Number:** COMM CHARTER SCHOOL

**Report Date:** 03/26/19

**SAMPLE RESULTS**

Lab ID: L1910848-01

Date Collected: 03/19/19 06:03

Client ID: FIELD BLANK-DI WATER

Date Received: 03/19/19

Sample Location: 137 ELLISON ST., PATERSON

Field Prep: Not Specified

Sample Depth:

Matrix: Dw

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Copper, Total	ND		mg/l	0.0010	0.0004	1	03/20/19 18:36	03/22/19 15:51	EPA 3005A	3,200.8	AM
Lead, Total	ND		mg/l	0.0010	0.0003	1	03/20/19 18:36	03/22/19 15:51	EPA 3005A	3,200.8	AM



**Project Name:** COMMUNITY CHARTER SCHOOL**Lab Number:** L1910848**Project Number:** COMM CHARTER SCHOOL**Report Date:** 03/26/19**SAMPLE RESULTS**

Lab ID: L1910848-02

Date Collected: 03/19/19 07:25

Client ID: 4TH FLOOR COMMON AREA FILTER

Date Received: 03/19/19

Sample Location: 137 ELLISON ST., PATERSON

Field Prep: Not Specified

Sample Depth:

Matrix: Dw

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Copper, Total	ND		mg/l	0.0010	0.0004	1	03/20/19 18:36	03/22/19 16:43	EPA 3005A	3,200.8	AM
Lead, Total	ND		mg/l	0.0010	0.0003	1	03/20/19 18:36	03/22/19 16:43	EPA 3005A	3,200.8	AM



**Project Name:** COMMUNITY CHARTER SCHOOL

**Lab Number:** L1910848

**Project Number:** COMM CHARTER SCHOOL

**Report Date:** 03/26/19

**SAMPLE RESULTS**

Lab ID: L1910848-03

Date Collected: 03/19/19 07:26

Client ID: 3RD FLOOR COMMON AREA FILTER

Date Received: 03/19/19

Sample Location: 137 ELLISON ST., PATERSON

Field Prep: Not Specified

Sample Depth:

Matrix: Dw

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Copper, Total	ND		mg/l	0.0010	0.0004	1	03/20/19 18:36	03/22/19 16:47	EPA 3005A	3,200.8	AM
Lead, Total	ND		mg/l	0.0010	0.0003	1	03/20/19 18:36	03/22/19 16:47	EPA 3005A	3,200.8	AM





Project Name: **COMMUNITY CHARTER SCHOOL**

Lab Number: L1910848

Project Number: COMM CHARTER SCHOOL

Report Date: 03/26/19

**SAMPLE RESULTS**

Lab ID: L1910848-04

Date Collected: 03/19/19 07:27

Client ID: **2ND FLOOR COMMON AREA FILTER**

Date Received: 03/19/19

Sample Location: 137 ELLISON ST., PATERSON

Field Prep: Not Specified

Sample Depth:

Matrix: Dw

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Copper, Total	ND		mg/l	0.0010	0.0004	1	03/20/19 18:36	03/22/19 16:51	EPA 3005A	3,200.8	AM
Lead, Total	ND		mg/l	0.0010	0.0003	1	03/20/19 18:36	03/22/19 16:51	EPA 3005A	3,200.8	AM



Project Name: COMMUNITY CHARTER SCHOOL

Lab Number: L1910848

Project Number: COMM CHARTER SCHO

Report Date: 03/26/19

## Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01-04 Batch: WG1217741-1									
Copper, Total	ND	mg/l	0.0010	0.0004	1	03/20/19 18:36	03/22/19 15:23	3,200.8	AM
Lead, Total	ND	mg/l	0.0010	0.0003	1	03/20/19 18:36	03/22/19 15:23	3,200.8	AM

### Prep Information

Digestion Method: EPA 3005A

### Lab Control Sample Analysis Batch Quality Control

**Project Name:** COMMUNITY CHARTER SCHOOL  
**Project Number:** COMM CHARTER SCHOOL

**Lab Number:** L1910848  
**Report Date:** 03/26/19

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-04 Batch: WG1217741-2								
Copper, Total	100		-		85-115	-		
Lead, Total	110		-		85-115	-		

**Matrix Spike Analysis**  
Batch Quality Control

**Project Name:** COMMUNITY CHARTER SCHOOL

**Lab Number:** L1910848

**Project Number:** COMM CHARTER SCHOOL

**Report Date:** 03/26/19

<b>Parameter</b>	<b>Native Sample</b>	<b>MS Added</b>	<b>MS Found</b>	<b>MS %Recovery</b>	<b>Qual</b>	<b>MSD Found</b>	<b>MSD %Recovery</b>	<b>Qual</b>	<b>Recovery Limits</b>	<b>RPD</b>	<b>Qual</b>	<b>RPD Limits</b>
Total Metals - Mansfield Lab Associated sample(s): 01-04    QC Batch ID: WG1217741-5    QC Sample: L1910848-01    Client ID: FIELD BLANK-DI WATER												
Copper, Total	ND	0.25	0.2558	102		-	-		70-130	-		20
Lead, Total	ND	0.51	0.5338	105		-	-		70-130	-		20

## Lab Duplicate Analysis

*Batch Quality Control*

**Project Name:** COMMUNITY CHARTER SCHOOL

**Project Number:** COMM CHARTER SCHOOL

**Lab Number:** L1910848

**Report Date:** 03/26/19

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-04 QC Batch ID: WG1217741-6 QC Sample: L1910848-01 Client ID: FIELD BLANK-DI WATER						
Copper, Total	ND	ND	mg/l	NC		20
Lead, Total	ND	ND	mg/l	NC		20

Project Name: COMMUNITY CHARTER SCHOOL

Project Number: COMM CHARTER SCHOOL

**Sample Receipt and Container Information**

Were project specific reporting limits specified?

NO

**Cooler Information****Cooler**                      **Custody Seal**

A                                      Absent

**Container Information**

<b>Container ID</b>	<b>Container Type</b>	<b>Cooler</b>	<b>Initial pH</b>	<b>Final pH</b>	<b>Temp deg C</b>	<b>Pres</b>	<b>Seal</b>	<b>Frozen Date/Time</b>	<b>Analysis(*)</b>
L1910848-01A	Plastic 250ml HNO3 preserved	A	<2	<2	3.7	Y	Absent		CU-2008T(180),PB-2008T(180)
L1910848-02A	Plastic 500ml HNO3 preserved	A	<2	<2	3.7	Y	Absent		CU-2008T(180),PB-2008T(180)
L1910848-03A	Plastic 250ml HNO3 preserved	A	<2	<2	3.7	Y	Absent		CU-2008T(180),PB-2008T(180)
L1910848-04A	Plastic 250ml HNO3 preserved	A	<2	<2	3.7	Y	Absent		CU-2008T(180),PB-2008T(180)

**Container Comments**

L1910848-04A

**Project Name:** COMMUNITY CHARTER SCHOOL**Lab Number:** L1910848**Project Number:** COMM CHARTER SCHOOL**Report Date:** 03/26/19

## GLOSSARY

### Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)  Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the

Report Format: DU Report with 'J' Qualifiers



**Project Name:** COMMUNITY CHARTER SCHOOL  
**Project Number:** COMM CHARTER SCHOOL

**Lab Number:** L1910848  
**Report Date:** 03/26/19

original method.

### Terms

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1.8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

**Final pH:** As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

**Frozen Date/Time:** With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

**Initial pH:** As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

**PFAS Total:** With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. If a 'Total' result is requested, the results of its individual components will also be reported.

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.

Report Format: DU Report with 'J' Qualifiers





**Project Name:** COMMUNITY CHARTER SCHOOL  
**Project Number:** COMM CHARTER SCHOOL

**Lab Number:** L1910848  
**Report Date:** 03/26/19

## REFERENCES

- 3 Methods for the Determination of Metals in Environmental Samples, Supplement I. EPA/600/R-94/111. May 1994.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



## Certification Information

---

The following analytes are not included in our Primary NELAP Scope of Accreditation:

### Westborough Facility

**EPA 624/624.1:** m/p-xylene, o-xylene

**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

**EPA 8270D:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.

**EPA 6860:** SCM: Perchlorate

**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.

### Mansfield Facility

**SM 2540D:** TSS

**EPA 8082A:** NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**Biological Tissue Matrix:** EPA 3050B

---

The following analytes are included in our Massachusetts DEP Scope of Accreditation

### Westborough Facility:

#### Drinking Water

**EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

**EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

**EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

#### Non-Potable Water

**SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.

**EPA 624.1:** Volatile Halocarbons & Aromatics,

**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

**EPA 625.1:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603.**

### Mansfield Facility:

#### Drinking Water

**EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.**

**EPA 522.**

#### Non-Potable Water

**EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

**EPA 245.1 Hg.**

**SM2340B**

---

For a complete listing of analytes and methods, please contact your Alpha Project Manager.



# NJ CHAIN OF CUSTODY

PAGE OF

## Project Information

Project Name:  
*Community Charter School of Paterson*

Project Location: *137 Ellison St. Paterson*

Project #:

Project Manager: *Joanne Cortese*

ALPHA Quote #: *4086*

Turn-Around Time

Standard  Rush (ONLY IF PRE-APPROVED)

Due Date: Time:

Westborough, MA  
8 Walkup Drive  
TEL: 508-898-9220  
FAX: 508-898-9193

Mansfield, MA  
320 Forbes Blvd  
TEL: 508-822-9300  
FAX: 508-822-3288

## Client Information

Client: *Environmental Laboratories Services*

Address: *PO BOX 472*

*Hewitt NJ 07421*

Phone: *973-728-8044*

Fax:

Email: *envirolabnet@optonline.net*

These samples have been Previously analyzed by Alpha

For EPH you MUST indicate Category 1 or 2. Please check one of the following:

Category 1  Category 2

ALPHA Lab ID  
(Lab Use Only)

Sample ID

Collection

Sample Matrix

Sampler's Initials

Date

Time

ALPHA Lab ID	Sample ID	Collection	Sample Matrix	Sampler's Initials															
		Date	Time																
<i>10848</i>	<i>-01</i>	<i>Field Blank- DI Water</i>	<i>3/19/19</i>	<i>0603</i>	<i>DW</i>	<i>MD</i>	<i>X</i>												
	<i>-02</i>	<i>4th Floor common area Filter</i>		<i>0725</i>			<i>X</i>												
	<i>-03</i>	<i>3rd Floor common area Filter</i>		<i>0726</i>			<i>X</i>												
	<i>-04</i>	<i>2nd Floor common area Filter</i>		<i>0727</i>			<i>X</i>												

Date Rec'd in Lab: *3/19/19* ALPHA Job #: *L1910848*

Report Type:  Data Summary  NJ Full  NJ Reduced  Other

Billing Information:  Same as Client info PO #:

Regulatory Requirements:  SRS-Residential/Non Residential  SRS-Impact to Groundwater  NJ Ground Water Quality Standards  Other

Site Information: Is this impacted by Petroleum  Yes  No  
If yes indicate Petroleum Product  
Are any samples for waste disposal  Yes  No

## ANALYSIS

<i>MD</i>																			
-----------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

SAMPLE HANDLING  
Filtration  
 Done  Not Needed  Lab to do  
Preservation  
 Lab to do  
(Please specify below)

TOTAL # BOTTLES

Sample Specific Comments

<i>DI Water</i>	<i>1</i>
<i>1st Draw</i>	<i>1</i>
<i>1st Draw</i>	<i>1</i>
<i>1st Draw</i>	<i>1</i>

Container Type Preservative

Relinquished By: *[Signature]* Date/Time: *3/19/19 1655*

Received By: *[Signature]* Date/Time: *3/19/19 1700*

*D. Santos AAL* *3/19/19 2210* *[Signature]* *3/19/19 2210*

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Payment Terms.